Index to Volume 68

Author Index

(Page number of erratum in italics)

Abraham, G. *See* E. T. Champagne, 267
Addo, K., and Y. Pomeranz. Lipid binding and fatty acid distribution in flour, dough, and baked and steamed bread, 570
——, ——, M. L. Huang, G. L. Rubenthaler, and H. C. Jeffers. Steamed bread. II. Role of protein content and strength, 39
Adewusi, S. R. A., B. O. Orisadare, and O. L. Oke. Studies on weaning diets in Nigeria. I. Carbohydrate sources, 165
Akasaka, K. *See* W. Tsuzuki, 365
Akingbala, J. O. Effect of processing on flavonoids in millet (*Pennisetum americanum*) flour, 180
Ali, H. I., and B. F. Harland. Effects of fiber and phytate in sorghum flour on iron and zinc in weanling rats: A pilot study, 234
Almeida-Dominguez, H. D., S. O. Serna-Saldivar, and L. W. Rooney. Properties of new and commercial sorghum hybrids for use in alkaline-cooked foods, 25
Amr, A. S. Characterization and use of samah in the production of flat bread, 155
Anderson, J. W., C. C. Hamilton, J. L. Horn, D. B. Spencer, D. W. Dillon, and J. A. Zeigler. Metabolic effects of insoluble oat fiber on lean men with type II diabetes, 291
Andrews, L. S. *See* R. M. Grodner, 162
Añón, M. C. *See* S. A. Giner, 77
Artz, W. E. *See* L. Ning, 632
Astroth, K. *See* G. S. Ranhotra, 130, 548

Babb, J. C. *See* K. R. Preston, 133
Bagley, E. B. *See* R. L. Cunningham, 258
Barbeau, W. E. *See* L. Pong, 552
Batey, I. L., R. B. Gupta, and F. MacRitchie. NOTE: Use of size-exclusion high-performance liquid chromatography in the study of wheat flour proteins: An improved chromatographic procedure, 207
Bechtel, D. B., J. D. Wilson, and P. R. Shewry. Immunocytochemical localization of the wheat storage protein triticin in developing endosperm tissue, 573
Bekes, F. *See* R. B. Gupta, 328
Belonje, B. *See* B. G. Shah, 190
Benedito de Barber, C. *See* C. Collar, 66
Berglund, P. T., D. R. Shelton, and T. P. Freeman. Frozen bread dough ultrastructure as affected by duration of frozen storage and freeze-thaw cycles, 105
Bergquist, R. R. *See* Y. V. Wu, 542
Berhow, M. A. *See* M. S. Kaldy, 508
Bhatty, R. S., A. W. MacGregor, and B. G. Rossnagel. Total and acid-soluble β-glucan content of hulless barley and its relationship to acid-extract viscosity, 221
——. *See* G. S. Ranhotra, 548
Bietz, J. A. *See* F. R. Huebner, 583
——. *See* J. W. Paulis, 361
Biliaderis, C. G. *See* M. Izydorczyk, 139, 145
——. *See* J. Michniewicz, 252
Bittner, D. R. *See* M. E. Camire, 419
Bjarnason, M. *See* E. I. Ortega, 482
Bjerke, J. M. *See* T. P. Freeman, 492
Blackwell, B. A. *See* F. W. Collins, 184
——. *See* P. J. Wood, 31
Bois, J. *See* K. Kobrehel, 1
Borhan, M. *See* B. A. Rasco, 295
Brassard, R. *See* R. Mongeau, 448
——. *See* B. G. Shah, 190
Breda, V. A. *See* D. W. Irving, 376
Bruinsma, B. *See* B. A. Rasco, 295
Bushuk, W. See F. R. Huebner, 583
——. *See* Y. Inoue, 627
——. *See* M. Izydorczyk, 139, 145
——. *See* B. O. Juliano, 317
——. *See* J. Michniewicz, 252
——. *See* P. K. W. Ng, 321
——. *See* D. Sievert, 512

Camire, M. E., and S. I. Flint. NOTE: Thermal processing effects on dietary fiber composition and hydration capacity in corn meal, oat meal, and potato peels, 645
——, C. C. King, and D. R. Bittner. Characteristics of extruded mixtures of cornmeal and glandless cottonseed flour, 419
Carr, M. E., R. E. Wing, and W. M. Doane. Encapsulation of atrazine within a starch matrix by extrusion processing, 262
——. *See* R. L. Cunningham, 258
Cecil, J. E. *See* C. F. Klopfenstein, 177
Champagne, E. T., R. J. Hron, Sr., and G. Abraham. Stabilizing brown rice products by aqueous ethanol extraction, 267
Chen, M. *See* G.-H. Feng, 95, 516
Chen, S.-H. Comparative study of pollen proteins of rice by isoelectric focusing and high-performance liquid chromatography, 91
Chinachoti, P., M.-S. Kim-Shin, F. Mari, and L. Lo. Gelatinization of wheat starch in the presence of sucrose and sodium chloride: Correlation between gelatinization temperature and water mobility as determined by oxygen-17 nuclear magnetic resonance, 245
——, V. A. White, L. Lo, and T. R. Stengle. Application of high-resolution carbon-13, oxygen-17, and sodium-23 nuclear magnetic resonance to study the influences of water, sucrose, and sodium chloride on starch gelatinization, 238
Christianson, D. D. *See* G. F. Fanta, 300
Chung, D. S. *See* Q. Zhuge, 336
Collar, C., A. F. Mascarós, J. A. Prieto, and C. Benedito de Barber. Changes in free amino acids during fermention of wheat doughs started with pure culture of lactic acid bacteria, 66
Collins, F. W., D. C. McLachlan, and B. A. Blackwell. Oat phenolics: Avenalumic acids, a new group of bound phenolic acids from oat groats and hulls, 184
Cunningham, R. L., M. E. Carr, and E. B. Bagley. Polyurethane foams extended with corn flour, 258
Curioni, A., A. D. B. Peruffo, G. Pressi, and N. E. Pogna. Immunological distinction between x-type and y-type high molecular weight glutenin subunits, 200
Czuchajowska, Z., D. Sievert, and Y. Pomeranz. Enzyme-resistant starch. IV. Effects of complexing lipids, 537
——. *See* D. Sievert, 86

D'Appolonia, B. L. *See* L. A. Grant, 651
Darius, P. L. *See* S. Vanhamel, 170
Davis, E. A. *See* L. A. Miller, 441
Defloor, I., C. De Geest, M. Schellekens, A. Martens, and J. A. Delcour. Emulsifiers and/or extruded starch in the production of breads from cassava. I., 323
De Geest, C. *See* I. Defloor, 323
——. *See* J. A. Delcour, 369
Delcour, J. A., C. DeGeest, R. C. Hoseney, and K. Shelke. Glycine derivatives as the source of carbon dioxide in cake formulations, 369
——, S. Vanhamel, and R. C. Hoseney. Physicochemical and functional properties of rye nonstarch polysaccharides. II. Impact of a fraction containing water-soluble pentosans and proteins on gluten-starch loaf volumes, 72
——. *See* I. Defloor, 323
——. *See* S. Vanhamel, 170
——. *See* C. J. A. Vinkx, 617
Dexter, J. E., R. Tkachuk, and K. H. Tipples. Physical properties and processing quality of durum wheat fractions recovered from a specific gravity table, 401
——. *See* S. J. Symons, 454
——. *See* R. Tkachuk, 390, 428
Deyoe, C. W. *See* Q. Zhuge, 336
Dhaliwal, Y. S., K. S. Sekhon, and H. P. S. Nagi. Enzymatic activities and rheological properties of stored rice, 18
Dick, J. W. *See* C. Mok, 405, 409
Dillon, D. W. *See* J. W. Anderson, 291
Doane, W. M. *See* M. E. Carr, 262
Dorsey-Redding, C., C. R. Hurburgh, Jr., L. A. Johnson, and S. R. Fox. Relationships among maize quality factors, 602
Du, L., and D. S. Jackson. NOTE: Corn wet milling with a commercial enzyme preparation, 205

Eckhoff, S. R., and C. C. Tso. NOTE: Starch recovery from steeped corn grits as affected by drying temperature and added commercial protease, 319
—— and ——. Wet milling of corn using gaseous SO_2 addition before steeping and the effect of lactic acid on steeping, 248
——. *See* A. Song, 464
Eisenbraun, G. J. *See* G. S. Ranhotra, 130, 432
El-Din, M. H. A. S. *See* A. A. E. Yaseen, 159
Eliasson, A.-C. *See* M. Gudmundsson, 172
El-Latif, A. R. A. *See* A. A. E. Yaseen, 159

Falmet, Y. *See* K. Kobrehel, 1
Fanta, G. F., and D. D. Christianson. Influence of poly (ethylene-*co*-acrylic acid) on the paste viscosity and gel rheology of cornstarch dispersions, 300
Faubion, J. M. *See* L. M. Hansen, 347
Faure, J. *See* A. Louis-Alexandre, 614
Fedec, P. *See* P. J. Wood, 48
Feng, G.-H., M. Chen, K. J. Kramer, and G. R. Reeck. α-Amylase inhibitors from rice: Fractionation and selectivity toward insect, mammalian, and bacterial α-amylases, 516
———, ———, ———, and ———. Reversed-phase high-performance liquid chromatographic separation of wheat proteinaceous inhibitors of insect and mammalian α-amylases, 95
———. *See* H. He, 641
Figueroa, J. D. C., and K. Khan. The relationship of bromate requirement and sugars in breadmaking and implications for loaf volume potential of hard red spring wheat flours, 284
Flint, S. I. *See* M. E. Camire, 645
Fox, S. R. *See* C. Dorsey-Redding, 602
Freeman, T. P., D. R. Shelton, J. M. Bjerke, and K. Skierkowski. The ultrastructure of wheat gluten: Variations related to sample preparation, 492
———. *See* P. T. Berglund, 105
Frohlich, A. A.. *See* C. A. Roberts, 272

Gaines, C. S. Associations among quality attributes of red and white soft wheat cultivars across locations and crop years, 56
Gbur, E. E. *See* P. S. Landers, 545
Gelroth, J. A. *See* G. S. Ranhotra, 130, 432, 548, 556
Giner, S. A., C. E. Lupano, and M. C. Añón. A model for estimating loss of wheat seed viability during hot-air drying, 77
Glaser, B. K. *See* G. S. Ranhotra, 556
Gomez, M. H., R. D. Waniska, and L. W. Rooney. Starch characterization of nixtamalized corn flour, 578
Gordon, J. *See* L. A. Miller, 441
Grant, L. A., and B. L. D'Appolonia. NOTE: Effects of low-level gamma radiation on water-soluble nonstarchy polysaccharides isolated from hard red spring wheat flour and bran, 651
Graybosch, R. *See* G. L. Lookhart, 312
———. *See* S. Primard, 305
Greene, L. W. *See* S. O. Serna-Saldivar, 565
Grodner, R. M., L. S. Andrews, and R. E. Martin. Chemical composition of seafood breading and batter mixes, 162
Grove, M. J. *See* D. A. Warner, 383
Gudmundsson, M., and A.-C. Eliasson. Thermal and viscous properties of rye starch extracted from different varieties, 172
Gupta, R. B., F. Bekes, and C. W. Wrigley. Prediction of physical dough properties from glutenin subunit composition in bread wheats: Correlation studies, 328
———. *See* I. L. Batey, 207

Hamilton, C. C. *See* J. W. Anderson, 291
Hansen, L. M., R. C. Hoseney, and J. M. Faubion. Oscillatory rheometry of starch-water systems: Effect of starch concentration and temperature, 347
Harland, B. F. *See* H. I. Ali, 234
Harte, J. B. *See* N. L. Lorimer, 213, 636
He, H., G. H. Feng, and R. C. Hoseney. Differences between flours in the rate of wheat protein solubility, 641
——— and R. C. Hoseney. A critical look at the electric resistance oven, 151
——— and ———. Differences in gas retention, protein solubility, and rheological properties between flours of different baking quality, 526
——— and ———. Gas retention in bread dough during baking, 521
——— and ———. Gas retention of different cereal flours, 334
Hendricks, D. G. *See* D. Zhang, 194
Henning, J. C. *See* C. A. Roberts, 272
Horn, J. L. *See* J. W. Anderson, 291
Hoseney, R. C. *See* J. A. Delcour, 72, 369
———. *See* L. M. Hansen, 347
———. *See* H. He, 151, 334, 521, 526, 641
———. *See* M. L. Martin, 498, 503
Hron, R. J., Sr. *See* E. T. Champagne, 267
Hsieh, F. *See* S. Lue, 227
Huang, M. *See* Y. Pomeranz, 353
Huang, M. L. *See* K. Addo, 39
Huebner, F. R., A. Hussain, G. L. Lookhart, J. A. Bietz, W. Bushuk, and B. O. Juliano. Discrimination of sister-line IR rice varieties by polyacrylamide gel electrophoresis and reversed-phase high-performance liquid chromatography, 583
Huff, H. E. *See* S. Lue, 227
Hurburgh, C. R., Jr. *See* C. Dorsey-Redding, 602
Hussain, A. *See* F. R. Huebner, 583
———. *See* B. O. Juliano, 317

Ikeda, K., T. Sakaguchi, T. Kusano, and K. Yasumoto. Endogenous factors affecting protein digestibility in buckwheat, 424
Inoue, Y., and W. Bushuk. Studies on frozen doughs. I. Effects of frozen storage and freeze-thaw cycles on baking and rheological properties, 627
Irving, D. W., J. L. Peake, and V. A. Breda. Nutrient distribution in five perennial grain species exhibited by light and scanning electron microscopy, 376
Ito, S. *See* Y. Mano, 280
Izydorczyk, M., C. G. Biliaderis, and W. Bushuk. Comparison of the structure and composition of water-soluble pentosans from different wheat varieties, 139
———, ———, and ———. Physical properties of water-soluble pentosans from different wheat varieties, 145

Jackson, D. S. *See* L. Du, 205
Jeffers, H. C. *See* K. Addo, 39
Johnson, J. M. *See* L. Pong, 552
Johnson, L. A. *See* C. Dorsey-Redding, 602
———. *See* C. C. Lee, 100
———. *See* J. D. Steinke, 7, 12
Johnson, S. *See* C. C. Lee, 100
Juliano, B. O., A. Hussain, A. P. Resurreccion, and W. Bushuk. NOTE: Interference of phytate with extraction of protein from brown rice using 5*M* acetic acid, 317
———. *See* F. R. Huebner, 583
———. *See* G. L. Lookhart, 396
———. *See* C. P. Villareal, 437

Kaldy, M. S., G. I. Rubenthaler, G. R. Kereliuk, M. A. Berhow, and C.E. Vandercook. Relationships of selected flour constituents to baking quality in soft white wheat, 508
Kasarda, D. D. *See* F. MacRitchie, 122
Kaushik, R. P., and G. S. Khush. Endosperm mutants in rice: Gene expression in japonica and indica backgrounds, 487
Keagy, P. M., and T. F. Schatzki. Effect of image resolution on insect detection in wheat radiographs, 339
Kereliuk, G. R. *See* M. S. Kaldy, 508
Khan, K. *See* J. D. C. Figueroa, 284
Khush, G. S. *See* R. P. Kaushik, 487
Kilborn, R. H. *See* K. R. Preston, 133
Kim-Shin, M.-S. *See* P. Chinachoti, 245
King, C. C. *See* M. E. Camire, 419
Klopfenstein, C. F., H. W. Leipold, and J. E. Cecil. Semiwet milling of pearl millet for reduced goitrogenicity, 177
Knutson, C. A. *See* D. A. Warner, 383
Kobrehel, K., J. Bois, and Y. Falmet. A comparative analysis of the sulfur-rich proteins of durum and bread wheats—Their possible functional properties, 1
Kojima, M. *See* Y. Mano, 280
Kramer, K. J. *See* G.-H. Feng, 95, 516
Krishnan, H. B., J. A. White, and S. G. Pueppke. NOTE: Immunocytochemistry of wheat storage proteins: Effect of particle size of protein A-gold on labeling intensity, 108
Kriz, A. L. *See* E. Paiva, 276
Kusano, T. *See* K. Ikeda, 424
Kuzmicky, D. D. *See* F. MacRitchie, 122

Lahlou, A. *See* C. Mestres, 51
Lambert, R. J. *See* J. W. Paulis, 361
Lamkin, W. M., N. C. Unruh, and Y. Pomeranz. Use of fluorometry for the determination of uric acid in grain. Elimination of interfering fluorescence, 81
Landers, P. S., E. E. Gbur, and R. N. Sharp. Comparison of two models to predict amylose concentration in rice flours as determined by spectrophotometric assay, 545
Larkins, B. A. *See* E. Paiva, 276
Laszlo, J. A. Changes in endogenous and exogenous iron-reducing capability of soybean hull during development, 21
Lee, C. C., L. A. Johnson, J. A. Love, and S. Johnson. Effects of processing and usage level on performance of bovine plasma as an egg white substitute in cakes, 100
Lee, J.-H. *See* S. Primard, 305
Lee, M. H. *See* B. A. Rasco, 295
Lee, W. J., F. W. Sosulski, and S. Sokhansanj. Yield and composition of soluble and insoluble fractions from corn and wheat stillages, 559
———. *See* F. W. Sosulski, 562
Leipold, H. W. *See* C. F. Klopfenstein, 177
Litchfield, J. B. *See* A. Song, 464
Lo, L. *See* P. Chinachoti, 238, 245
Lodh, S. B. *See* B. B. Nanda, 351
Lookhart, G. L., R. Graybosch, J. Peterson, and A. Lukaszewski. Identification of wheat lines containing the 1BL/1RS translocation by high-performance liquid chromatography, 312
———, B. O. Juliano, and B. D. Webb. Effect of solvent extraction, en-

vironment, and genetic background on differentiating rice by reversed-phase high-performance liquid chromatography, 396
———. *See* F. R. Huebner, 583
Lorimer, N. L., M. E. Zabik, J. B. Harte, N. C. Stachiw, and M. A. Uebersax. Effect of navy bean protein flour and navy bean globulin(s) on composite flour rheology, chemical bonding, and microstructure, 213
———, ———, ———, ———, and ———. Navy bean flour fractions in composite doughs: Effect of bean grade on rheology parameters and microstructure of wheat dough, 636
Louis-Alexandre, A., C. Mestres, and J. Faure. Measurement of endosperm vitreousness of corn: A quantitative method and its application to African cultures, 614
———. *See* C. Mestres, 51
Love, J. A. *See* C. C. Lee, 100
Lue, S., F. Hsieh, and H. E. Huff. Extrusion cooking of corn meal and sugar beet fiber: Effects on expansion properties, starch gelatinization, and dietary fiber content, 227
Lukaszewski, A. *See* G. L. Lookhart, 312
Lukow, O. W., and P. B. E. McVetty. Effect of cultivar and environment on quality characteristics of spring wheat, 597
Lupano, C. E. *See* S. A. Giner, 77

MacGregor, A. W. *See* R. S. Bhatty, 221
MacRitchie, F., D. D. Kasarda, and D. D. Kennedy. Characterization of wheat protein fractions differing in contributions to breadmaking quality, 122
———. *See* I. L. Batey, 207
Mahn, W. *See* P. J. Wood, 530
Mahoney, A. W. *See* D. Zhang, 194
Malcolm, S. *See* R. Mongeau, 448
———. *See* B. G. Shah, 190
Mali, P. C. *See* B. B. Nanda, 351
Mano, Y., S. Nishiyama, M. Kojima, M. Ohnishi, and S. Ito. Analysis of the molecular species of glycerolipids from rye grains by reversed-phase high-performance liquid chromatography, 280
Maranville, J. W. *See* C. P. Villareal, 437
Mari, F. *See* P. Chinachoti, 245
Marquardt, R. R. *See* C. A. Roberts, 272
Marshall, W. E., and F. L. Normand. Exothermic transitions in whole grain milled rice and milled rice flour studied by differential scanning calorimetry, 606
Martens, A. *See* I. Defloor, 323
Martin, M. L., and R. C. Hoseney. A mechanism of bread firming. II. Role of starch hydrolyzing enzymes, 503
———, K. J. Zeleznak, and R. C. Hoseney. A mechanism of bread firming. I. Role of starch swelling, 498
Martin, R. E. *See* R. M. Grodner, 162
Mascarós, A. F. *See* C. Collar, 66
Matencio, F. *See* C. Mestres, 51
McGraw, R. L. *See* C. A. Roberts, 272
McLachlan, D. C. *See* F. W. Collins, 184
McVetty, P. B. E. *See* O. M. Lukow, 597
Mestres, C., A. Louis-Alexandre, F. Matencio, and A. Lahlou. Dry-milling properties of maize, 51
———. *See* A. Louis-Alexandre, 614
Michniewicz, J., C. G. Biliaderis, and W. Bushuk. Effect of added pentosans on some physical and technological characteristics of dough and gluten, 252
Miller, L. A., J. Gordon, and E. A. Davis. Dielectric and thermal transition properties of chemically modified starches during heating, 441
Mok, C., and J. W. Dick. Moisture adsorption of damaged wheat starch, 405
——— and ———. Response of starch of different wheat classes to ball milling, 409
Mongeau, R., R. Brassard, S. Malcolm, and B. G. Shah. Effect of dietary cereal brans on body weight and blood lipids in a long-term rat experiment, 448
———. *See* B. G. Shah, 190
Morgan, B. C. *See* K. R. Preston, 133
Morton, I. D. *See* A. K. Yousif, 43
Mustafa, A. I. *See* A. K. Yousif, 43

Nagao, S. *See* K. Shiiba, 115
Nagi, H. P. S. *See* Y. S. Dhaliwal, 18
Nanda, B. B., P. C. Mali, and S. B. Lodh. Glutamate dehydrogenase activity and isoenzymes, protein, and soluble amino acids in developing grains of high and low protein rice, 351
Negishi, Y. *See* K. Shiiba, 115
Nelsen, T. C. *See* Y. V. Wu, 343
Neyreneuf, O., and J. B. Van Der Plaat. Preparation of frozen French bread dough with improved stability, 60
Ng, P. K. W., and W. Bushuk. COMMUNICATION TO THE EDITOR: Model of glutenin structure based on farinograph and electrophoretic results, 321
Ning, L., R. Villota, and W. E. Artz. Modification of corn fiber through chemical treatments in combination with twin-screw extrusion, 632
Nishiyama, S. *See* Y. Mano, 280
Normand, F. L. *See* W. E. Marshall, 606
Nowicki, T. W. *See* R. Tkachuk, 428

Ogata, Y. *See* W. Tsuzuki, 365
Ohnishi, M. *See* Y. Mano, 280
Okada, K. *See* K. Shiiba, 115
Oke, O. L. *See* S. R. A. Adewusi, 165
Orisadare, B. O. *See* S. R. A. Adewusi, 165
Ortega, E. I., E. Villegas,. M. Bjarnason, and K. Short. Changes in dry matter and protein fractions during kernel development of quality protein maize, 482

Paiva, E., A. L. Kriz, M. J. V. V. D. Peixoto, J. C. Wallace, and B. A. Larkins. Quantitation and distribution of γ-zein in the endosperm of maize kernels, 276
Paredes-López, O. *See* J. M. Vargas-López, 610
Paulis, J. W., J. A. Bietz, R. J. Lambert, and E. M. Villegas. Identification of modified high-lysine maize genotypes by reversed-phase high-performance liquid chromatography, 361
Paulsen, M. *See* A. Song, 464
Peake, J. L. *See* D. W. Irving, 376
Peixoto, M. J. V. V. D. *See* E. Paiva, 276
Persaud, J. N. *See* Q. Zhuge, 336
Peruffo, A. D. B. *See* A. Curioni, 200
Peterson, C. J. *See* S. Primard, 305
Peterson, J. *See* G. L. Lookhart, 312
Phillips, R. D. *See* Y.-H. Tuan, 413
Piazza, L. *See* M. Riva, 622
Pogna, N. E. *See* A. Curioni, 200
Pomeranz, Y., M. Huang, and G. L. Rubenthaler. Steamed bread. III. Role of lipids, 353
———. *See* K. Addo, 39, 570
———. *See* Z. Czuchajowska, 537
———. *See* W. M. Lamkin, 81
———. *See* D. Sievert, 86
———. *See* J. Szczodrak, 589
———. *See* W. H. Thomson, 357
Pong, L., J. M. Johnson, W. E. Barbeau, and D. L. Stewart. Evaluation of alternative fat and sweetener systems in cupcakes, 552
Posner, E. S. *See* Q. Zhuge, 336
Pressi, G. *See* A. Curioni, 200
Preston, K. R., R. H. Kilborn, B. C. Morgan, and J. C. Babb. Effects of frost and immaturity on the quality of a Canadian hard red spring wheat, 133
Prieto, J. A. *See* C. Collar, 66
Primard, S., R. Graybosch, C. J. Peterson, and J.-H. Lee. Relationships between gluten protein composition and quality characteristics in four populations of high-protein, hard red winter wheat, 305
Pueppke, S. G. *See* H. B. Krishnan, 108

Raju, G. N., and T. Srinivas. NOTE: Effect of physical, physiological, and chemical factors on the expression of chalkiness in rice, 210
Ramirez-Wong, B. *See* J. M. Vargas-López, 610
Ranhotra, G. S., J. A. Gelroth, K. Astroth, and R. S. Bhatty. Relative lipidemic responses in rats fed barley and oat meals and their fractions, 548
———, ———, ———, and G. J. Eisenbraun. Effect of resistant starch on intestinal responses in rats, 130
———, ———, and G. J. Eisenbraun. NOTE: High-fiber white flour and its use in cookie products, 432
———, ———, B. K. Glaser, and C. S. Rao. Fecal bulking effect of whole grain flour from selected grains, 556
Rao, C. S. *See* G. S. Ranhotra, 556
Rasco, B. A., M. Borhan, J. M. Yegge, M. H. Lee, K. Siffring, and B. Bruinsma. Evaluation of enzyme and chemically treated wheat bran ingredients in yeast-raised breads, 295
Reeck, G. R. *See* G.-H. Feng, 95, 516
Resurreccion, A. P. *See* B. O. Juliano, 317
Riva, M., L. Piazza, and A. Schiraldi. Starch gelatinization in pasta cooking: Differential flux calorimetry investigations, 622
Roberts, C. A., R. R. Marquardt, A. A. Frohlich, R. L. McGraw, R. G. Rotter, and J. C. Henning. Chemical and spectral quantification of mold in contaminated barley, 272
Rooney, L. W. *See* H. D. Almeida-Dominguez, 25
———. *See* M. H. Gomez, 578
———. *See* S. O. Serna-Saldivar, 565
Rossnagel, B. G. *See* R. S. Bhatty, 221
Rotter, R. G. *See* C. A. Roberts, 272
Rubenthaler, G. L. *See* K. Addo, 39
———. *See* M. S. Kaldy, 508
———. *See* Y. Pomeranz, 353

Sakaguchi, T. *See* K. Ikeda, 424
Sapirstein, H. D. *See* D. Sievert, 512
Schatzki, T. F. *See* P. M. Keagy, 339
Schellekens, M. *See* I. Defloor, 323
Schiraldi, A. *See* M. Riva, 622
Schnürer, J. NOTE: Distribution of fungal biomass among fine bran, coarse bran, and flour from wheat stored at four different moisture levels, 434
Seib, P. A. *See* Q. Zhuge, 336
Sekhon, K. S. *See* Y. S. Dhaliwal, 18
Serna-Saldivar, S. O., L. W. Rooney, and L. W. Greene. Effect of lime treatment on the availability of calcium in diets of tortillas and beans: Rat growth and balance studies, 565
———. *See* H. D. Almeida-Dominguez, 25
Shah, B. G., S. Malcolm, B. Belonje, K. D. Trick, R. Brassard, and R. Mongeau. Effect of dietary cereal brans on the metabolism of trace elements in a long-term rat study, 190
———. *See* R. Mongeau, 448
Sharp, R. N. *See* P. S. Landers, 545
Shelke, K. *See* J. A. Delcour, 369
Shelton, D. R. *See* P. T. Berglund, 105
———. *See* T. P. Freeman, 492
Shewry, P. R. *See* D. B. Bechtel, 573
Shibata, S. *See* W. Tsuzuki, 365
Shiiba, K., Y. Negishi, K. Okada, and S. Nagao. Purification and characterization of lipoxygenase isozymes from wheat germ, 115
Short, K. *See* E. I. Ortega, 482
Sievert, D., Z. Czuchajowska, and Y. Pomeranz. Enzymes-resistant starch. III. X-ray diffraction of autoclaved amylomaize VII starch and enzyme-resistant starch residues, 86
———, H. D. Sapirstein, and W. Bushuk. Electrophoretic study of some high molecular weight proteins of the acetic acid-insoluble residue of wheat flours, 512
———. *See* Z. Czuchajowska, 537
Siffring, K. *See* B. A. Rasco, 295
Singh, B. *See* U. Singh, 460
Singh, U., and B. Singh. Functional properties of sorghum-peanut composite flour, 460
Sisson, D. V. *See* D. Zhang, 194
Skerritt, J. H. A simple antibody-based test for dough strength. I. Development of method and choice of antibodies, 467
———. A simple antibody-based test for dough strength. II. Genotype and environment effects, 475
Skierkowski, K. *See* T. P. Freeman, 492
Sokhansanj, S. *See* W. J. Lee, 559
———. *See* F. W. Sosulski, 562
———. *See* J. Tang, 647
Song, A., S. R. Eckhoff, M. Paulsen, and J. B. Litchfield. Effects of kernel size and genotype on popcorn popping volume and number of unpopped kernels, 464
Sosulski, F. W., W. J. Lee, and S. Sokhansanj. Wet milling and separation of wheat distillers' grains with solubles into dietary fiber and protein fractions, 562
———. *See* W. J. Lee, 559
———. *See* J. Tang, 647
Spencer, D. B. *See* J. W. Anderson, 291
Srinivas, T. *See* G. N. Raju, 210
Stachiw, N. C. *See* N. L. Lorimer, 213, 636
Steinke, J. D., and L. A. Johnson. Steeping maize in the presence of multiple enzymes. I. Static batchwise steeping, 7
——— and ———. Steeping maize in the presence of multiple enzymes. II. Continuous countercurrent steeping, 12
Stengle, T. R. *See* P. Chinachoti, 238
Stewart, D. L. *See* L. Pong, 552
Suzuki, T. *See* W. Tsuzuki, 365
Symons, S. J., and J. E. Dexter. Computer analysis of fluorescence for the measurement of flour refinement as determined by flour ash content, flour grade color, and tristimulus color measurements, 454
Szczodrak, J., and Y. Pomeranz. Starch and enzyme-resistant starch from high-amylose barley, 589

Tang, J., S. Sokhansanj, and F. Sosulski. Determination of the breakage susceptibility of lentil seeds, 647
Thannoun, A. M. *See* D. Zhang, 194
Thomson, W. H., and Y. Pomeranz. Classification of wheat kernels using three-dimensional image, 357
Tipples, K. H. *See* J. E. Dexter, 401
———. *See* R. Tkachuk, 390, 428
Tkachuk, R., J. E. Dexter, and K. H. Tipples. Removal of sprouted kernels from hard red spring wheat with a specific gravity table, 390
———, ———, ———, and T. W. Nowicki. Removal by specific gravity table of tombstone kernels and associated trichothecenes from wheat infected with Fusarium head blight, 428
———. *See* J. E. Dexter, 401
Trick, K. D. *See* B. G. Shah, 190
Tso, C. C. *See* S. R. Eckhoff, 248, 319
Tsuzuki, W., Y. Ogata, K. Akasaka, S. Shibata, and T. Suzuki. Fatty acid composition of selected buckwheat species by fluorometric high-performance liquid chromatography, 365
Tuan, Y.-H., and R. D. Phillips. Effect of the hard-to-cook defect and processing on protein and starch digestibility of cowpeas, 413

Uebersax, M. A. *See* N. L. Lorimer, 213, 636
Unruh, N. C. *See* W. M. Lamkin, 81

Van Den Ende, L. *See* S. Vanhamel, 170
Van Der Plaat, J. B. *See* O. Neyreneuf, 60
Vandercook, C. E. *See* M. S. Kaldy, 508
Vanhamel, S., L. Van Den Ende, P. L. Darius, and J. A. Delcour. A volumeter for breads prepared from 10 grams of flour, 170
———. *See* J. A. Delcour, 72
Van Nieuwenhove, C. G. *See* C. J. A. Vinkx, 617
Vargas-López, J. M., O. Paredes-López, and B. Ramirez-Wong. Physico-chemical properties of extrusion-cooked amaranth under alkaline conditions, 610
Villareal, C. P., J. W. Maranville, and B. O. Juliano. NOTE: Nutrient content and retention during milling of brown rices from the International Rice Research Institute, 437
Villegas, E. *See* E. I. Ortega, 482
———. *See* J. W. Paulis, 361
Villota, R. *See* L. Ning, 632
Vinkx, C. J. A., C. G. Van Nieuwenhove, and J. A. Delcour. Physicochemical and functional properties of rye nonstarch polysaccharides. III. Oxidative gelation of a fraction containing water-soluble pentosans and proteins, 617

Wallace, J. C. *See* E. Paiva, 276
Waniska, R. D. *See* M. H. Gomez, 578
Warner, D. A., M. J. Grove, and C. A. Knutson. Isolation and characterization of α-amylases from endosperm of germinating maize, 383
Webb, B. D. *See* G. L. Lookhart, 396
Weisz, J. *See* P. J. Wood, 31, 48, 530
———. *See* S. H. Yiu, 372
White, J. A. *See* H. B. Krishnan, 108
White, V. A. *See* P. Chinachoti, 238
Williams, P. C. NOTE: Prediction of wheat kernel texture in whole grains by near-infrared transmittance, 112
Wilson, J. D. *See* D. B. Bechtel, 573
Wing, R. E. *See* M. E. Carr, 262
Wood, P. J., J. Weisz, and B. A. Blackwell. Molecular characterization of cereal β-D-glucans. Structural analysis of oat β-D-glucan and rapid structural evaluation of β-D-glucans from different sources by high-performance liquid chromatography of oligosaccharides released by lichenase, 31
———, ———, and P. Fedec. Potential for β-glucan enrichment in brans derived from oat (*Avena sativa* L.) cultivars of different (1→3), (1→4)-β-D-glucan concentrations, 48
———, ———, and W. Mahn. Molecular characterization of cereal β-glucans. II. Size-exclusion chromatography for comparison of molecular weight, 530
———. *See* S. H. Yiu, 372
Wrigley, C. W. *See* R. B. Gupta, 328
Wu, Y. V., and R. R. Bergquist. Relation of corn grain density to yields of dry-milling products, 542
——— and T. C. Nelsen. A simple, rapid method to measure wheat hardness by grinding time and speed reduction in a micro hammer-cutter mill, 343

Yaseen, A. A. E., M. H. A. S. El-Din, and A. R. A. El-Latif. Fortification of balady bread with tomato seed meal, 159
Yasumoto, K. *See* K. Ikeda1 424
Yegge, J. M. *See* B. A. Rasco, 295
Yiu, S. H., J. Weisz, and P. J. Wood. Comparison of the effects of microwave and conventional cooking on starch and β-glucan in rolled oats, 372
Yousif, A. K., I. D. Morton, and A. I. Mustafa. Functionality of date paste in breadmaking, 43
Yu, Y. *See* D. Zhang, 194

Zabik, M. E. *See* N. L. Lorimer, 213, 636
Zeigler, J. A. *See* J. W. Anderson, 291
Zeleznak, K. J. *See* M. L. Martin, 498
Zhang, D., D. G. Hendricks, A. W. Mahoney, Y. Yu, A. M. Thannoun, and D. V. Sisson. Bioavailability of total dietary iron from beef and soy protein isolate, alone or combined, in anemic and healthy rats, 194
Zhuge, Q., J. N. Persaud, E. S. Posner, C. W. Deyoe, P. A. Seib, and D. S. Chung. Isolation of gluten and starch from ground, pearled wheat compared to isolation from flour, 336, *558*

Subject Index

(Page number of erratum in italics)

Acknowledgment of reviewers, v
Alkaline cooking, amaranth grain by extrusion (Vargas-López et al), 610
Amaranth, physicochemical properties of extrusion-cooked (Vargas-López et al), 610
Amino acids, metabolism, consumption and release by lactic acid bacteria (Collar et al), 66
α-Amylase
—from germinating maize (Warner et al), 383
—inhibitors from rice; from insects, mammals, and bacteria (Feng et al), 516
—mammalian, separation of wheat proteinaceous inhibitors of, by RP-HPLC (Feng et al), 95
—removal of sprouted red spring wheat kernels with specific gravity table (Tkachuk et al), 390
—segregation of sprouted durum wheat kernels on specific gravity table (Dexter et al), 401
Amylose, two models for predicting concentration by spectrophotometric assay (Landers et al), 545
Antibodies, polyclonal, raised against high molecular weight subunits of glutenin (Curioni et al), 200
Antibody-based test, for dough strength (Skerritt), 467, 475

Baking
—alternative fat and sweetener systems (Pong et al), 552
—bread, differences in gas retention, rheological properties between flour of different quality (He and Hoseney), 526
—frozen dough; frozen storage and freeze-thaw cycle effect on (Inoue and Bushuk), 627
—gas retention of bread dough (He and Hoseney), 521
—properties of red spring wheat fractions removed from specific gravity table (Tkachuk et al), 390
—qualities of soft white wheats; cookie diameter, cake volume related to constituents (Kaldy et al), 508
—quality; differences in rate of protein solubility (He et al), 641
—quality attribute association of soft wheat cultivars (Gaines), 56
—use of electric resistance oven (He and Hoseney), 151
—of various cereal flours (He and Hoseney), 334
Barley
—contaminated, chemical and spectral quantification of mold in (Roberts et al), 272
—high-amylose, starch isolation and fractionation (Szczodrak and Pomeranz), 589
—hulless, relation of total and acid-soluble, β-glucan content to acid-extract viscosity (Bhatty et al), 221
—lipidemic responses, in rat study (Ranhotra et al), 548
Beans, bean grade effect on navy bean proteins, effect on rheological parameters and microstructure of wheat (Lorimer et al), 636
Bran
—cereal, effect on metabolism of trace elements in rats (Shah et al), 190
—dietary cereal, effect on body weight and blood lipids in rats (Mongeau et al), 448
—wheat, in yeast-raised breads (Rasco et al), 295
Bread and breadmaking
—baked and steamed bread, lipid binding and fatty acid distribution in (Addo and Pomeranz), 570
—balady bread, fortification with tomato seed meal (Yaseen et al), 159
—bread volume measured with volumeter (Vanhamel et al), 170
—bromate and sugar relation (Figueroa and Khan), 284
—cassava bread (Defloor et al), 323
—date paste functionality (Yousif et al), 43
—effect of rye and wheat pentosans (Delcour et al), 72
—effects of wheat proteins (MacRitchie et al), 122
—flat bread, use of samah in production of (Amr), 155
—French bread dough, preparation of frozen (Neyreneuf and Van Der Plaat), 60
—frozen bread dough, ultrastructure (Berglund et al), 105
—mechanism of bread firming (Martin et al), 498
—role of starch hydrolyzing enzyming on bread firming (Martin and Hoseney), 503
—steamed bread: lipid role (Pomeranz et al), 353; protein content and strength (Addo et al), 39
—yeast-raised breads, evaluation of enzyme and chemically treated wheat bran ingredients in (Rasco et al), 295
Breading and batters, seafood, composition of (Grodner et al), 162
Breakage test, Tangential Abrasive Dehulling Device and Stein Breakage Tester for breakage susceptibility of lentils (Tang et al), 647
Buckwheat
—fatty acid composition by fluorometric HPLC (Tsuzuki et al), 365
—protein digestibility in, endogenous factors (Ikeda et al), 424

Cakes
—alternative fat and sweetener systems (Pong et al), 552
—baking; glycine derivatives as source of CO_2 (Delcour et al), 369
—bovine plasma as egg white substitute in, processing and usual level effects on (Lee et al), 100
—quality attribute association of soft wheat cultivars (Gaines), 56
Calorimetry, differential flux, starch gelatinization in pasta cooking (Riva et al), 622
Carbohydrate sources, *ogi* for weaning diets in Nigeria (Adewusi et al), 165
Carbon dioxide, use of glycine derivatives as source in cake baking (Delcour et al), 369
Cassava, bread from (Defloor et al), 323
Cereal, β-glucan molecular weight (Wood et al), 530
Chalkiness of rice, factors (Raju and Srinivas), 210
Cholesterol, effect of soft vs. hard wheat bran fed male rats (Mongeau et al), 448
Chromatography, size-exclusion, for molecular characterization of cereal β-glucans (Wood et al), 530
Color measurement, in flour (Symons and Dexter), 454
Cookies
—high-fiber white flour for (Ranhotra et al), 432
—quality attribute association of soft wheat cultivars (Gaines), 56
Cooking, lime, procedure (Almeida-Dominguez et al), 25
Corn (see also Maize)
—bran; modification of soluble and insoluble fiber contents in (Ning et al), 632
—grain vitreousness and endosperm texture (Louis-Alexandre et al), 614
—hardness related to milling yields (Wu and Bergquist), 542
—nixtamalized flour, starch characterization of (Gomez et al), 578
—popcorn, effect of kernel size and genotype on popping volume and number of unpopped kernels (Song et al), 464
—stillage; soluble and insoluble fraction yield and composition from (Lee et al), 659
—wet milling with enzymes (Ling and Jackson), 205
Cornmeal
—characteristics of extruded mixtures of (Camire et al), 419
—extrusion cooking of (Lue et al), 227
Cornstarch, complex with poly(ethylene-*co*-acrylic acid), paste viscosity and gel rheology (Fanta and Christianson), 300
Cottonseed flour, characteristics of extruded mixtures of (Camire et al), 419
Cowpeas, effect of hard-to-cook defect on nutritional quality (Tuan and Phillips), 413
Cultivar, effect on quality of spring wheat (Lukow and McVetty), 597

Date paste, as sugar replacer in breadmaking (Yousif et al), 43
Dielectric properties, of chemically modified starches (Miller et al), 441
Dietary fiber
—in baked and extruded materials (Camire and Flint), 645
—from corn and wheat stillages (Lee et al), 659
—effects on iron and zinc in weanling rats (Ali and Harland), 234
—modification through chemical treatments and twin-screen extrusion (Ning et al), 632
—separation of wheat distillers' grains into (Sosulski et al), 562
Differential scanning calorimetry
—of barley starch (Szczodrak and Pomeranz), 589
—to measure amylose-lipid complex recrystallization (Marshall and Normand), 606
Dough
—baking in electric resistance oven (He and Hoseney), 151
—bean grade effect on navy bean proteins, effect on rheological parameters and microstructure of wheat (Lorimer et al), 636
—bread, gas retention during baking (He and Hoseney), 521
—fermentation; level of amino acids during (Collar et al), 66
—frozen bread, frozen storage and freeze-thaw cycle effect on: baking and rheological properties (Inoue and Bushuk), 627; ultrastructure (Berglund et al), 105
—frozen French bread preparation (Neyreneuf and Van Der Plaat), 60
—navy bean protein and globulins in composite flours, rheology, chemical bonding, microstructure (Lorimer et al), 213
—pentosan effects on (Michniewicz et al), 252
—properties; prediction on basis of glutenin composition (Gupta et al), 328
—strength; predictive test (Skerritt), 467, 475
—sulfur-rich protein effect on dough formation (Kobrehel et al), 1
Drying
—effect on enzymatic activities and rheological properties of stored rice (Dhaliwal et al), 18
—model for estimating loss of wheat seed viability (Giner et al), 77
—temperature; effect of, on starch yield of corn grits (Eckhoff and Tso), 319

Electrophoresis
—electroblotting of wheat prolamins (Curioni et al), 200
—of glutenin subunits in relation to dough strength (Primard et al), 305

—PAGE-SDS and IEF of sulfur-rich proteins of wheats (Kobrehel et al), 1
—quantitation of proteins in fractions from wheat by (MacRitchie et al), 122
Emulsifiers, in bread from cassava (Defloor et al), 323
Endosperm, maize, α-amylases from (Warner et al), 383
Endosperm mutants, in rice, gene expression in japonica and indica (Kaushik and Khush), 487
Environment
—effect on dough strength, antibody-based test for (Skerritt), 475
—effect on quality of spring wheat (Lukow and McVetty), 597
Enzymes
—α-amylases from germinating maize (Warner et al), 383
—amylolytic, proteolytic, lipolytic, and lipoxygenase changes in stored rice (Dhaliwal et al), 18
Erratum, Zhuge et al (vol. 68, no. 4), *558*
Ethanol extraction, for stabilizing brown rice products (Champagne et al), 267
Extruders, twin-screw extrusion preparation of starch encapsulated herbicides (Carr et al), 262
Extrusion cooking
—of amaranth under alkaline conditions, physicochemical properties (Vargas-López et al), 610
—of cornmeal and glandless cottonseed flour (Camire et al), 419
—of cornmeal and sugar beet fiber (Lue et al), 227
—effects on corn meal, oat meal, and potato peels (Camire and Flint), 645

Fat substitutes, alternative fat systems in cake (Pong et al), 552
Fecal bulk, effect of whole grain flour from selected grains (Ranhotra et al), 556
Fermentation of wheat doughs, level of amino acids during (Collar et al), 66
Fiber
—soluble, in corn bran, chemical treatments and extrusion processing for increased levels (Ning et al), 632
—water-soluble, metabolic effects on lean men with type II diabetes (Anderson et al), 291
Flavonoids, processing effect on, in millet flour (Akingbala), 180
Flour
—bromate and sugar relation (Figueroa and Khan), 284
—cereal, gas retention in doughs of (He and Hoseney), 334
—corn, in rigid polyurethane foams (Cunningham et al), 258
—high-fiber white, use in cookie products (Ranhotra et al), 432
—soft white wheat, analysis for pentosan, sugars, amylose, and nonstarch polysaccharides (Kaldy et al), 508
—sorghum-peanut composite, functional properties of (Singh and Singh), 460
—wheat, electrophoretic study of HMW proteins of acetic acid-insoluble residue of (Sievert et al), 512
—whole grain, fecal bulking effect of (Ranhotra et al), 556
Fluorescence imaging, quantitative measurement of (Symons and Dexter), 454
Fluorometry, for determination of uric acid in grain (Lamkin et al), 81
Foams, effects of corn flour in urethane (Cunningham et al), 258
Fractionation, of rice proteins (Feng et al), 516

Gas retention
—in bread dough during baking (He and Hoseney), 521
—differences between flour of different quality during baking (He and Hoseney), 526
Gelatinization kinetics, in pasta cooking (Riva et al), 622
Gliadins
—immunochemical relationships with high molecular weight subunits of glutenin (Curioni et al), 200
—in relation to dough strength (Primard et al), 305
β-Glucan
—cereal, size-exclusion chromatography (Wood et al), 530
—enrichment in brans, analysis in oats (Wood et al), 48
—in rolled oats, microwave and conventional cooking effects compared (Yiu et al), 372
—structure of, in cereals (Wood et al), 31
Gluten
—from ground, pearled wheat (Zhuge et al), 336, *558*
—pentosan effect on (Michniewicz et al), 252
—ultrastructural variation related to sample preparation techniques (Freeman et al), 492
Glutenin
—high and low molecular weight subunits (Primard et al), 305
—immunological reactions of x-type and y-type high molecular weight subunits of (Curioni et al), 200
—LMW and HMW subunits, relationship with dough properties (Gupta et al), 328
—structure; model, HMW subunits (Ng et al), 321
Glycerolipids, analysis of molecular species of (Mano et al), 280
Grain
—perennial, structure and nutrient distribution in caryopses using SEM and LM (Irving et al), 376
—uric acid in (Lamkin et al), 81

Hardness
—of corn; relation to milling yields (Wu and Bergquist), 542
—of wheat; relating to grinding time and speed reduction in micro hammer-cutter mill (Wu and Nelsen), 343
Herbicides, starch encapsulation by extrusion processing (Carr et al), 262
HPLC
—for analysis and structural characteristics of cereal β-glucans (Wood et al), 31
—determination of 1BL/1RS translocations from wheat flour (Lookhart et al), 312
—fluorometric, for fatty acid composition of buckwheat (Tsuzuki et al), 365
—of gliadin proteins (Primard et al), 305
—reversed-phase discrimination of rice pollen protein (Chen), 91
Hydration capacity, effects of baking and extrusion on (Camire and Flint), 645

IEF, of rice pollen protein for cultivar identification (Chen), 91
Image analysis
—application to flour fluorescence (Symons and Dexter), 454
—of wheat; classification (Thomson and Pomeranz), 357
Immunocytochemistry
—localization of wheat storage proteins (Bechtel), 573
—of wheat storage proteins, effect of particle size of protein A-gold on labeling intensity (Krishnan et al), 108
Insects
—detection with wheat radiographs (Keagy and Schatzki), 339
—grain infestation or contamination (Lamkin et al), 81
—separation of wheat proteinaceous inhibitors of, by RP-HPLC (Feng et al), 95
Instructions to authors, iii
Instruments and instrumentation
—near-infrared transmittance, for determining protein and moisture in cereal grains (Williams), 112
—volumeter for measurement of breads (Vanhamel et al), 170
Iron
—bioavailability in rats fed soy protein isolate and beef, alone or combined (Zhang et al), 194
—reducing capability of soybean hull (Laszlo), 21

Lactic acid, addition of, when steeping in corn wet milling (Eckhoff and Tso), 248
Legumes
—breakage susceptibility of lentils (Tang et al), 647
—navy bean protein and globulins in composite flours, dough rheology, chemical bonding, microstructure (Lorimer et al), 213
Lentil, breakage susceptibility (Tang et al), 647
Lipidemic responses, in rats fed barley and oat meals and their fractions (Ranhotra et al), 548
Lipids
—complexing, effect on enzyme-resistant starch (Czuchajowska et al), 537
—steamed bread role (Pomeranz et al), 353
Lipoxygenase isozymes, purification and enzymatic properties (Shiiba et al), 115

Maize (see also Corn)
—alcohol-soluble proteins (Paulis et al), 361
—α-amylases from, germinating (Warner et al), 383
—changes in dry matter and protein fractions during kernel development (Ortega et al), 482
—continuous countercurrent steeping of (Steinke et al), 12
—kernel endosperm; γ-zein in (Paiva et al), 276
—proximate analysis, physical properties, vitreousness, density (Mestres et al), 51
—quality factors; relations (Dorsey-Redding et al), 602
—static batchwise steeping of (Steinke and Johnson), 7
Method
—low temperature scanning electron microscopy (Berglund et al), 105
—to measure wheat hardness, in micro hammer-cutter mill (Wu and Nelsen), 343
—nuclear magnetic resonance, ^{17}O, ^{13}C, and ^{23}Na during starch gelatinization (Chinachoti et al), 238
—^{17}O NMR of water in starch (Chinachoti et al), 245
Millet
—flour; effect of processing on flavonoids in (Akingbala), 180
—pearl, semiwet milling to reduce goitrogenicity (Klopfenstein et al), 177
Milling
—ball-milled wheat starch, moisture adsorption characteristics (Mok and Dick), 405
—of brown rice; nutrient content and retention during (Villareal et al), 437
—characterization of flour refinement by image analysis, flour ash, grade color,

and tristimulus color measurements (Symons and Dexter), 454
—dry-milling correlation with chemical and physical analyses of whole corn kernel (Mestres et al), 51
—properties of red spring wheat fractions removed for specific gravity table (Tkachuk et al), 390
—semiwet process to reduce goitrogenicity of pearl millet (Klopfenstein et al), 177
—wheat class; response of starch to ball milling (Mok and Dick), 409
Moisture, determination of breakage susceptibility of lentils (Tang et al), 647
Mold
—in contaminated barley; chemical and spectral quantification of (Roberts et al), 272
—ergosterol and colony-forming units (Schnürer), 434
Molecular species, of glycerolipids from rye by RP-HPLC (Mano et al), 280
Mycotoxins, reduction in *Fusarium*-infected wheat with specific gravity table (Tkachuk et al), 428

Nixtamalization, corn flours, characterization (Gomez et al), 578

Oat bran, small-scale milling and enrichment in β-glucan (Wood et al), 48
Oats
—avenalumic acids, from groats and hull phenolics (Collins et al), 184
—β-glucan content in milling fractions (Wood et al), 48
—β-glucan structure, comparison with other cereals (Wood et al), 31
—fiber; insoluble, metabolic effects on lean men with type II diabetes (Anderson et al), 291
—lipidemic responses, in rat study (Ranhotra et al), 548
—rolled, starch and β-glucan in, microwave and conventional cooking compared (Yiu et al), 372
Oscillatory rheometry, of starch-water system (Hansen et al), 347
Oxidative gelation, rye water-soluble pentosans (Vinkx et al), 617

Pasta
—cooking; starch gelatinzation in (Riva et al), 622
—spaghetti-quality of durum wheat gravity table fractions (Dexter et al), 401
Pentosans
—effect on dough and gluten (Michniewicz et al), 252
—effect of gamma radiation on (Grant and D'Appolonia), 651
—physical properties of, from wheat (Izydorczyk et al), 145
—physicochemical and functional properties of rye and wheat in breadmaking (Delcour et al), 72
—from rye, oxidative gelation (Vinkx et al), 617
—in soft white wheat, negative influence on baking quality (cake volume, cookie diameter) (Kaldy et al), 508
—water-soluble, structure, composition (Izydorczyk et al), 139
Phenolic acids, NMR, MS, structure from oats (Collins et al), 184
Physicochemical properties, of alkaline-extruded amaranth (Vargas-López et al), 610
Phytate, in sorghum flour, effects on iron and zinc in weanling rats (Ali and Harland), 234
Polydextrose, use in cake (Pong et al), 552
Polysaccharides, effects of gamma radiation on (Grant and D'Appolonia), 651
Popcorn, effect of kernel size and genotype on popping volume and number of unpopped kernels (Song et al), 464
Protease, in corn grits steeping, treatment of (Eckhoff and Tso), 319
Protein
—analysis of prolamins; determination of putative rye proteins (Lookhart et al), 312
—content and strength of steamed bread (Addo et al), 39
—from corn and wheat stillages (Lee et al), 659
—digestibility: in buckwheat, endogenous factors affecting (Ikeda et al), 424; in stored cowpeas (Tuan and Phillips), 413
—effect of various solvents and environment on identification of rice varieties by RP-HPLC (Lookhart et al), 396
—extraction from brown rice, phytate interference (Juliano et al), 317
—fractions in common and quality protein maize (Ortega et al), 482
—Osborne fractions and sugar levels (Figueroa and Khan), 284
—pollen, as taxonomic characteristics of rice cultivars (Chen), 91
—rate of solubility of flours varying in baking quality (He et al), 641
—rice, on PAGE and RP-HPLC (Huebner et al), 583
—separation of wheat distillers' grains into (Sosulski et al), 562
—solubility fractions, electrophoresis of (MacRitchie et al), 122
—sulfur-rich, of wheats (Kobrehel et al), 1
—tomato seed meal for fortification of balady bread (Yaseen et al), 159
—wheat storage, immunocytochemistry of, effect of particle size of protein A-gold on labeling intensity (Krishnan et al), 108
—zein and alcohol-soluble glutelins (Paulis et al), 361

Rheological properties, differences between flours of different quality during baking (He and Hoseney), 526
Rheology
—bean grade effect on navy bean protein, effect on rheological parameters and microstructure of wheat (Lorimer et al), 636
—frozen dough; frozen storage and freeze-thaw cycle effect on (Inoue and Bushuk), 627
—gel, formed by complexing cornstarch with poly(ethylene-*co*-acrylic acid) (Fanta and Christianson), 300
—rice, gelatinization temperature, peak temperature, and peak viscosity of stored rice (Dhaliwal et al), 18
Rice
—acetic acid-soluble proteins, PAGE and RP-HPLC (Huebner et al), 583
—α-amylase inhibitors (Feng et al), 516
—amylose concentration as predicted by two models using spectrophotometric assay (Landers et al), 545
—amylose-lipid complexes in milled and milled flour (Marshall and Normand), 606
—brown: aqueous ethanol extraction for stabilization (Champagne et al), 267; nutrient content and retention during milling (Villareal et al), 437; phytate interference with protein extraction from (Juliano et al), 317
—chalkiness; factors (Raju and Srinivas), 210
—endosperm mutants; gene expression in japonica and indica (Kaushik and Khush), 487
—high and low protein, comparative biochemistry of (Nanda et al), 351
—pollen protein of cultivars, discrimination by IEF and HPLC (Chen), 91
—proteins extracted by various solvents (Lookhart et al), 396
—stored, enzymatic activities and rheological properties of (Dhaliwal et al), 18
RP-HPLC
—of amino acids; quantitative determination by (Collar et al), 66
—analysis of molecular species of glycerolipids from rye (Mano et al), 280
—changes in chromatographic patterns of rice proteins extracted from five varieties with different solvents and from different locations (Lookhart et al), 396
—discrimination of sister-line IR rices by protein patterns (Huebner et al), 583
—separation of wheat proteinaceous inhibitors of insect and mammalian α-amylases (Feng et al), 95
—of zein and alcohol-soluble high-lysine corn proteins (Paulis et al), 361
Rye
—analysis of molecular species of glycerolipids by RP-HPLC (Mano et al), 280
—pentosans; physicochemical and functional properties in breadmaking (Delcour et al), 72
—starch; properties of (Gudmundsson and Eliasson), 172

Samah, characterization and use in flat bread production (Amr), 155
Scanning electron microscopy
—of caryopses of perennial grains (Irving et al), 376
—for examination of ultrastructure (Berglund et al), 105
—of navy bean protein wheat composite and globulin-starch-wheat flour doughs (Lorimer et al), 213
SDS-PAGE
—analysis: of fractions isolated by SE-HPLC (Batey et al), 207; of putative rye proteins collected from HPLC analysis, comparison with secalins (Lookhart et al), 312; of rice α-amylase inhibitors (Feng et al), 516
—of HMW subunits of glutenin (Curioni et al), 200
—separation of LMW glutenin subunits by two-step electrophoresis (Gupta et al), 328
—study of HMW proteins of acetic acid-insoluble residue of wheat flours (Sievert et al), 512
SE-HPLC, improved separation of flour proteins (Batey et al), 207
Shortening, effect on bread firming (Martin et al), 498
Sorghum
—flour; fiber and phytate effects on iron and zinc in rats (Ali and Harland), 234
—grains; properties of (Almeida-Dominguez et al), 25
Sorghum-peanut composite flour; functional properties of (Singh and Singh), 460
Soy protein isolate, iron bioavailability in rats fed (Zhang et al), 194
Soybean hull, iron-reducing capability of (Laszlo), 21
Staling
—effect of date paste on firming of bread (Yousif et al), 43
—mechanism of bread firming, starch swelling effect (Martin et al), 498
—role of starch hydrolyzing enzyme on bread (Martin and Hoseney), 503
Starch
—analysis in oat milling fractions (Wood et al), 48
—chemically modified, dielectric and thermal transition properties of (Miller et al), 441
—digestibility in stored cowpeas (Tuan and Phillips), 413
—enzyme-resistant: from barley (Szczodrak and Pomeranz), 589; complexing lipid effects (Czuchajowska et al), 537; X-ray diffraction of (Sievert et al), 86
—extruded, in bread from cassava (Defloor et al), 323
—gelatinization molecular dynamics in solutes, by ^{17}O, ^{13}C, ^{23}Na NMR (Chinachoti et al), 238
—gelatinization temperature as related to water mobility by ^{17}O NMR, in solutes (Chinachoti et al), 245

—from ground, pearled wheat (Zhuge et al), 336, *558*
—nixtamalized corn flours, characterization (Gomez et al), 578
—preparation of starch encapsulated herbicides by twin-screw extrusion (Carr et al), 262
—resistant, effect on intestinal responses (Ranhotra et al), 130
—in rolled oats, microwave and conventional cooking effects compared (Yiu et al), 372
—rye, thermal and viscous properties of (Gudmundsson and Eliasson), 172
—wheat; granule damage by ball milling, moisture adsorption characteristics (Mok and Dick), 405
—wheat class; influence of granule damage by ball milling on wheat hardness damage (Mok and Dick), 409
—yield of, corn wet milling, steeping with SO_2 gas and lactic acid (Eckhoff and Tso), 248
Starch-water system; concentration and temperature (Hansen et al), 347
Steeping
—added protease during, for corn grits dried at different temperatures (Eckhoff and Tso), 319
—continuous countercurrent steeping of maize (Steinke et al), 12
—with SO_2 gas and lactic acid in corn wet milling (Eckhoff and Tso), 248
—static batchwise, of maize (Steinke and Johnson), 7
Storage of rice, effect on enzymatic activities and rheological properties (Dhaliwal et al), 18
Sugar, relationship with bromate and loaf volume (Figueroa and Khan), 284
Sugar substitutes, alternative sweetener systems in cake (Pong et al), 552
Sulfur dioxide, gaseous treatment of, steeping in corn wet milling (Eckhoff and Tso), 248

Thermal transitions, exotherms produced by recrystallization of amylose-lipid complexes in milled rice and milled rice flour (Marshall and Normand), 606
Tortillas
—corn, effect of lime treatment on calcium availability in diets of, rat growth and balance studies (Serna-Saldivar et al), 565
—sorghum and corn, characteristics (Almeida-Dominguez et al), 25
Trace elements, effect of wheat, oat, corn bran on metabolism in rats (Shah et al), 190
Trichothecenes, reduction in *Fusarium*-infected wheat with specific gravity table (Tkachuk et al), 428

Ultrastructure, of wheat gluten related to sample preparation (Freeman et al), 492

Viscosity
—acid-extract, relation to total and acid-soluble β-glucan content of hulless barley (Bhatty et al), 221
—paste, influence of poly(ethylene-*co*-acrylic acid) on (Fanta and Christianson), 300

Wet milling
—of corn: steeping with SO_2 gas and lactic acid (Eckhoff and Tso), 248; with enzymes (Ling and Jackson), 205
—of steeped corn grits, drying temperature and added commercial protease effect (Eckhoff and Tso), 319
—of wheat distillers' grains into dietary fiber and protein fractions (Sosulski et al), 562
Wheat
—classes in relation to sugar and bromate requirement (Figueroa and Khan), 284
—classification, using three-dimensional image analysis (Thomson and Pomeranz), 357
—comparison of structure and composition of water-soluble pentosans (Izydorczyk et al), 139
—cultivar and environment effect on quality (Lukow and McVetty), 597
—durum, fractionation with specific gravity table (Dexter et al), 401
—endosperm protein bodies; immunocytochemical localization of (Bechtel et al), 573
—gamma radiation, effects on water-soluble nonstarch polysaccarides (Grant and D'Appolonia), 651
—germ; purification and characterization of lipoxygenase isozymes from (Shiiba et al), 115
—gluten ultrastructure as influenced by sample preparation (Freeman et al), 492
—ground, pearled, isolation of gluten and starch from, comparison to flour isolation (Zhuge et al), 336, *558*
—hard red winter, breeding for wheat quality enhancement (Primard et al), 305
—hardness measured by grinding time and speed reduction in micro hammer-cutter mill (Wu and Nelsen), 343
—hardness prediction, by near-infrared transmittance (Williams), 112
—infected with Fusarium head blight, removal of tombstone kernels and trichothecenes with specific gravity table (Tkachuk et al), 428
—insect detection in radiographs (Keagy and Schatzki), 339
—physical properties of water-soluble pentosans from (Izydorczyk et al), 145
—proteinaceous inhibitors of insect and mammalian α-amylases, RP-HPLC separation of (Feng et al), 95
—proteins in relation to quality (MacRitchie et al), 122
—quality affected by frost and immaturity (Preston et al), 133
—quality attribute association of soft wheat cultivars (Gaines), 56
—removal of sprouted red spring wheat kernels with specific gravity table (Tkachuk et al), 390
—starch; moisture adsorption characteristics of ball-mill damaged granules (Mok and Dick), 405
—starch damage by ball milling with respect to kernel hardness (Mok and Dick), 409
—stillage; soluble and insoluble fraction yield and composition from (Lee et al), 659
—sulfur-rich proteins of durum and bread wheats (Kobrehel et al), 1
—viability loss during hot-air drying (Giner et al), 77
Wheat bran, fungal contamination (Schnürer), 434
Wheat distillers' grain, wet milling and separation of, into dietary fiber and protein fractions (Sosulski et al), 562

X-ray diffraction, of enzyme-resistant starch (Sievert et al), 86

γ-Zein, in maize kernel endosperm (Paiva et al), 276